


Baloo

type: boucle

INDEX OF FABRIC: 101



Baloo 2073 // *White*



Baloo 2074 // *Beige*

Baloo 2072 // *Powder Pink*

Baloo 2078 // *Terracotta*



Baloo 2088 // *Dark Blue*

Baloo 2085 // *Light Grey*

Baloo 2083 // *Dark Grey*



Baloo 2090 // *Dark Olive Grey*

Baloo 2081 // *Brown*

Baloo 2082 // *Black*

Baloo

type: boucle

INDEX OF FABRIC: 101



Baloo 2073 // White



Baloo 2074 // Beige



Baloo 2072 // Powder Pink



Baloo 2078 // Terracotta




Baloo 2088 // Dark Blue



Baloo 2085 // Light Grey



Baloo 2083 // Dark Grey



Baloo 2090 // Dark Olive Grey



Baloo 2081 // Brown










Baloo 2082 // Black

Baloo

type: boucle

INDEX OF FABRIC: 101

| | |
|--|--|
| Composition Skład: | 93% PES, 6% ACR, 1% COT |
| Weight Gramatura: | 570 g/m ² (+/- 5%) |
| Abrasion resistance Odporność na ścieranie: | >100 000 rubs / suwów |
| Fuzzing and pilling Mechacenie i pilling: | 4 - 5 |
| Colour fastness to artificial light Odporność wybarwień na światło: | 6 |
| Dry rubbing Tarcie suche | 5 |
| Wet rubbing Tarcie mokre | 4 - 5 |
| Seam Slippage Przesunięcie w szwie | 2,0 warp / osnowa 3,0 weft / wątek |
| Cigarette test Test papierosa: | ✓ |
| Maintenance Konserwacja: |        |



FIRE Retardant
by special order



INDOOR
USE



CIGARETTE
TEST

PN-EN 1021-1:2014-12



REACH
COMPLIANCE



OEKO
TEX®
STANDARD
100



YOUR CHOICE IS A GREAT CHOICE!

The **Micadoni Pro** team is committed to offering personalized guidance in selecting exceptional fabrics and advising you on products that best reflect your vision. We invite you to get in touch and benefit from our expertise.

www.micadoni.com/contact | sales@micadonipro.com

micadoni

micadonipro.com | micadoni.com | [@micadoni.home](https://www.instagram.com/micadoni.home)

Baloo

type: boucle

INDEX OF FABRIC: 101